

AD-A110 009

NORTHWESTERN UNIV EVANSTON IL DEPT OF CHEMISTRY

F/G 20/5

LASER FLASH DESORPTION OF CO FROM CLEAN COPPER SURFACES.(U)

JAN 82 R VISWANATHAN, D R BURGESS, P C STAIR N00014-79-C-0794

UNCLASSIFIED


TR-7

NL

101  
10/1/82



END  
DATE  
FILMED  
3-82  
DTIC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS 1963-A

AD A110009

DTIC FILE COPY

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

LEVEL II

12

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 7	2. GOVT ACCESSION NO. AD A110009	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Laser Flash Desorption of CO from Clean Copper Surfaces		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) R. Viswanathan, D. R. Burgess, Jr., P. C. Stair and E. Weitz		8. CONTRACT OR GRANT NUMBER(s) N00014-79-C-0794
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry Northwestern University Evanston, Illinois 60201		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Arlington, Virginia 22217		12. REPORT DATE January 1982
		13. NUMBER OF PAGES 5
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)  unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release and sale; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  DTIC JAN 25 1982		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  Desorption, Laser Desorption, Diffusion		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  Desorption of CO from both clean single crystal and polycrystalline copper has been achieved by means of ArF excimer laser irradiation of the crystal surface. A diffusion coefficient of $3.5-1.5 \times 10^{-6} \text{ cm}^2 \text{ sec}^{-1}$ has been determined for CO on the Cu(100) surface at 140°K by monitoring the return of CO to the area depleted by the laser.		

01 22 82 026

DD FORM 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

OFFICE OF NAVAL RESEARCH

Contract N00014-77-C-0794

TECHNICAL REPORT NO. 7

Laser Flash Desorption of CO from Clean Copper Surfaces

by

R. Viswanathan, D. R. Burgess, Jr., P. C. Stair and E. Weitz

Prepared for Publication

in the

Journal of Vacuum Science and Technology

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A	

Northwestern University  
Department of Chemistry  
Evanston, Illinois

January 18, 1982

Reproduction in whole or in part is permitted for  
any purpose of the United States Government

This document has been approved for public release and sale;  
its distribution is unlimited

Laser Flash Desorption of CO from Clean Copper Surfaces. R. Viswanathan, D. R. Burgess, Jr., P. C. Stair and E. Weitz, Department of Chemistry, Northwestern University, Evanston, Illinois 60201.

The objective of this research is to utilize pulsed laser thermal desorption as a technique for studying the interaction of molecules with solid surfaces. This technique is similar to ordinary thermal desorption spectroscopy in many respects<sup>1</sup> but also has a number of advantages due to the rapid, localized heating of the surface made possible with focused, pulsed laser radiation. In the present study the pulsed laser desorption has been used to investigate the surface diffusion and desorption of carbon monoxide adsorbed on a polycrystalline copper surface as well as the copper (100) single crystal surface in ultrahigh vacuum. Surface diffusion was studied by observing the time dependence for the recovery of the desorption flux from a small area on the Cu(100) surface following the depletion of the adsorbed CO in that area by a series of laser pulses. The flux of desorbed CO was measured as a function of surface concentration and laser fluence by determining the time-of-flight into a mass spectrometer detector. Ordinary thermal desorption was performed to obtain relative coverages and to compare with the laser desorption measurements. The copper surface was chosen for this study because it is easily cleaned. Carbon monoxide was chosen as the adsorbate because its adsorption on copper is simple and well understood.

The ion pumped UHV chamber (base pressure  $7 \times 10^{-10}$  torr) is equipped with a UTI quadrupole mass spectrometer, ion sputter gun, gas introduction facilities and LiF windows for passing the laser beam into the chamber. The sample holder is mounted on a Huntington High Precision Manipulator for accurate sample positioning. The copper sample is heated by electron bombardment and cooled below 150 K using liquid nitrogen. The bulk temperature is measured via a chromel-

alumel thermocouple in contact with the edge of the sample. The laser desorption source is a focused or collimated ArF excimer laser beam with a pulse width of  $10^{-8}$  sec and an energy range of 1-100 mJ/pulse at 193 nm. 10  $\mu$ sec time resolution in the desorbed flux detected via the mass spectrometer is achieved using a fast amplifier and storing signals in a Biomation transient recorder. The copper surfaces were polished using standard metallography techniques and cleaned in UHV by a combination of oxidation at 1000 K and argon ion sputtering according to a recipe worked out in another UHV chamber equipped with Auger electron spectroscopy for verifying the surface cleanliness. The single crystal wafer was cut from a copper single crystal rod which was oriented by Laue X-ray diffraction. The CO was Matheson research purity used without further purification.

For the measurement of the diffusion coefficient we assume that the area on the surface which is depleted of adsorbed molecules is circular with the same diameter as the focused laser beam,  $\sim 0.20$  cm. The solution to Fick's Law for this geometry is<sup>2</sup>

$$\frac{\bar{C}(t) - C_0}{C(0) - C_0} = 0.69 \exp(-5.8 Dt/R^2) \quad (1)$$

for times,  $t$ , long enough that  $Dt/R^2 > 0.05$ . In this equation  $C_0$  is the overall surface CO concentration,  $C(t)$  is the concentration within the irradiated area at time  $t$  after depletion by a series of laser pulses,  $D$  is the diffusion coefficient and  $R$  is the radius of the irradiated area. The fraction of the total adsorbed CO removed with each laser pulse is only 0.0001 as determined by a comparison of the integrated curves for laser desorption and ordinary thermal desorption. Thus  $C_0$  can be considered a constant for these experiments. A series of four (4) laser pulses at one second intervals was used to produce a depleted area, and the flux desorbed by these pulses was summed to obtain

$C_0 - C(o)$ .  $\bar{C}(t) - C_0$  was determined from the flux desorbed by a second series of four pulses at time  $t$  after the first series. The diffusion coefficient,  $D$ , was obtained from the slope of  $\ln \frac{C(t) - C_0}{C(o) - C_0}$  vs.  $t$ .

The measured diffusion coefficient for CO on the clean Cu(100) surface at 140 K is  $3.5 \times 10^{-6} \text{cm}^2 \text{sec}^{-1} \pm 1.5 \times 10^{-6} \text{cm}^2 \text{sec}^{-1}$ . The large uncertainty is due to poor signal-to-noise on the desorption fluxes caused by the small signals. For an activated diffusion model  $D = D_0 \exp(-E_a/RT)$ . Assuming a reasonable value for  $D_0$  (0.1 to 0.01) the calculated activation energy is 2-3 kcal/mole. This activation energy should be fairly accurate since the calculated value is insensitive to the values of  $D$  and  $D_0$ . 2-3 kcal is a reasonable value for  $E_a$ , it is roughly 1/5 of the heat of adsorption of CO on Cu(100) in agreement with surface diffusion activation energies measured for other surface-adsorbate systems.<sup>3</sup> It is also approximately the energy required to force CO out of its lowest energy adsorption site which occurs in the formation of the high coverage compression structure on Cu(100).<sup>4</sup>

The laser fluence and surface coverage dependence of the CO flux desorbed from Cu(100) and polycrystalline copper have been investigated only qualitatively. Poor pumping in the region of the mass spectrometer prevented the quantitative determination of the CO velocity distribution via time-of-flight measurements. For both polycrystalline copper and Cu(100) there is a marked threshold for the onset of desorption as a function of laser fluence. An increase in fluence of 30% from threshold doubles the desorption signal from Cu(100). Increasing the fluence above threshold increases both the desorption flux and the mean molecular velocity as judged by the time-of-flight spectrum. In general the desorption cross-section on the polycrystalline surface was several orders of magnitude higher than on the single crystal Cu(100) surface.

With increasing coverage, the time-of-flight spectrum of CO on the polycrystalline copper surface showed a pronounced shift toward decreasing molecular velocities. We interpret this to be due to sequential filling of sites with decreasing heats of adsorption with increasing coverage.

Perhaps the most important result of this work is the demonstration that surface diffusion can be studied on macroscopic single crystals using pulsed laser desorption. Surface diffusion is important in chemical reactions on surfaces. However, convenient tools were not available for its study except for systems that were compatible with field emission experiments.<sup>3</sup> Laser desorption should be useful for studying any surface-adsorbate system where the adsorbate can be thermally desorbed.

Acknowledgment: This work was supported by the Office of Naval Research through Contract N00014-79-C-0794.

## References

1. J. P. Cowin, D. J. Auerbach, O. Becker and L. Wharton, Surface Science. 78, 545 (1978).
2. G. H. Geiger and D. R. Poirier, "Transport Phenomena in Metallurgy" (Addison-Wesley, Reading, 1973), p. 489.
3. G. Ehrlich and K. Stolt, Ann. Rev. Phys. Chem. 31, 603 (1980).
4. J. C. Tracy, J. Chem. Phys. 56, 2748 (1972).

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Office of Naval Research Attn: Code 472 800 North Quincy Street Arlington, Virginia 22217	2	U. S. Army Research Office Attn: CRD-AA-IP P.O. Box 1211 Research Triangle Park, N.C. 27709	1
ONR Branch Office Attn: Dr. George Sandoz 536 S. Clark Street Chicago, Illinois 60605	1	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92152	1
ONR Area Office Attn: Scientific Dept. 715 Broadway New York, New York 10003	1	Naval Weapons Center Attn: Dr. A. B. Amster, Chemistry Division China Lake, California 93555	1
ONR Western Regional Office 1030 East Green St. Pasadena, California 91106	1	Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1
ONR Eastern/Central Regional Office Attn: Dr. L. H. Peebles Building 114, Section D 666 Summer Street Boston, Massachusetts 02210		Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	
Director, Naval Research Laboratory Attn: Code 6100 Washington, D.C. 20390	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (RE&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research Attn: Dr. Richard S. Miller 800 N. Quincy Street Arlington, Virginia 22217	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Naval Ship Research and Development Center Attn: Dr. G. Bosmajian, Applied Chemistry Division Annapolis, Maryland 21401	1

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Defense Technical Information Ctr. Building 5, Cameron Station Alexandria, Virginia 22314	12	Naval Ocean Systems Center Attn: Dr. S. Yamamoto, Marine Sciences Division San Diego, California 91232	1
Dr. Fred Saalfeld Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania	1
Dr. Rudolph J. Marcus Office of Naval Research Scientific Liaison Group American Embassy APO San Francisco 96503	1	Mr. James Kelley DTNSRDC Code 2803 Annapolis, Maryland 21402	1

TECHNICAL REPORT DISTRIBUTION LIST, 056

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. D. A. Vroom IRT P.O. Box 80817 San Diego, California 92138	1	Dr. C. P. Flynn Department of Physics University of Illinois Urbana, Illinois 61801	1
Dr. G. A. Somorjai Department of Chemistry University of California Berkeley, California 94720	1	Dr. W. Kohn Department of Physics University of California (San Diego) LaJolla, California 92037	1
Dr. L. N. Jarvis Surface Chemistry Division 4555 Overlook Avenue, S.W. Washington, D.C. 20375	1	Dr. R. L. Park Director, Center of Materials Research University of Maryland College Park, Maryland 20742	1
Dr. J. B. Hudson Materials Division Rensselaer Polytechnic Institute Troy, New York 12181	1	Dr. W. T. Peria Electrical Engineering Department University of Minnesota Minneapolis, Minnesota 55455	1
Dr. John T. Yates Surface Chemistry Section National Bureau of Standards Department of Commerce National Bureau of Standards Washington, D.C. 20234	1	Dr. Narkis Tzoar City University of New York Convent Avenue at 138th Street New York, New York 10031	1
Dr. Theodore E. Madey Surface Chemistry Section Department of Commerce National Bureau of Standards Washington, D.C. 20234	1	Dr. K. S. Singwi Department of Physics Tech 1374 Northwestern University Evanston, Illinois 60201	1
Dr. J. M. White Department of Chemistry University of Texas Austin, Texas 78712	1	Dr. D. C. Mattis Polytechnic Institute of New York 333 Jay Street Brooklyn, New York 11201	1

TECHNICAL REPORT DISTRIBUTION LIST, 056

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. Keith H. Johnson Department of Metallurgy and Materials Science Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1	Dr. Robert M. Hexter Department of Chemistry University of Minnesota Minneapolis, Minnesota 55455	1
Dr. J. E. Demuth IBM Corporation Thomas J. Watson Research Center P.O. Box 218 Yorktown Heights, New York 10598	1	Dr. Chia wei Woo Provost Revelle College University of California, San Diego LaJolla, California 92093	1
Dr. M. G. Lagally Department of Metallurgical and Mining Engineering University of Wisconsin Madison, Wisconsin 53706	1	Dr. J. Osteryoung Chemistry Department SUNY, Buffalo Buffalo, New York 14214	1
Dr. Robert Gomer Department of Chemistry James Franck Institute 5640 Ellis Avenue Chicago, Illinois 60637	1	Dr. G. Rubloff I.B.M. Thomas J. Watson Research Center P.O. Box 218 Yorktown Heights, New York 10598	1
Dr. R. G. Wallis Department of Physics University of California, Irvine Irvine, California 92664	1	Dr. J. A. Gardner Department of Physics Oregon State University Corvallis, Oregon 97331	1
Dr. D. Ramaker Chemistry Department George Washington University Washington, D.C. 20052	1	Dr. G. D. Stein Mechanical Engineering Department Northwestern University Evanston, Illinois 60201	1
Dr. P. Hansma Chemistry Department University of California Santa Barbara Santa Barbara, California 93106	1	Dr. K. G. Spears Chemistry Department Northwestern University Evanston, Illinois 60201	1
Dr. P. Hendra Chemistry Department Southampton University England SO9JNH	1	Dr. R. W. Plummer University of Pennsylvania Department of Physics Philadelphia, Pennsylvania 19104	1

TECHNICAL REPORT DISTRIBUTION LIST, 056

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Professor P. Skell Chemistry Department Pennsylvania State University University Park, Penn. 16802	1	Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 41106	1
Dr. J. C. Hemminger Chemistry Department University of California, Irvine Irvine, California 92712	1	Professor George H. Morrison Cornell University Department of Chemistry	
Dr. Martin Fleischmann Department of Chemistry Southampton University Southampton 509 5NH Hampshire, England	1	Professor N. Winograd Pennsylvania State University Chemistry Department University Park, Penn. 16802	1
		Professor Thomas F. George The University of Rochester Chemistry Department Rochester, New York 14627	1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003	1	Dr. P. J. Hendra Department of Chemistry University of Southampton Southampton SO9 5NH United Kingdom	1
Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 41106	1	Dr. Sam Perone Department of Chemistry Purdue University West Lafayette, Indiana 47907	1
Dr. D. N. Bennion Department of Chemical Engineering Brigham Young University Provo, Utah 84602	1	Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, N.C. 27514	1
Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125	1	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92152	1
Dr. J. J. Auborn Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. C. E. Mueller The Electrochemistry Branch Materials Division, Research & Technology Department Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910	1
Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. T. Katan Lockheed Missiles & Space Co, Inc. P.O. Box 504 Sunnyvale, California 94088	1	Dr. J. Boechler Electrochimica Corporation Attention: Technical Library 2485 Charleston Road Mountain View, California 94040	1
Dr. B. Brummer EIC Incorporated 55 Chapel Street Newton, Massachusetts 02158	1	Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063	1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Library		Dr. H. Richtol	
P. R. Mallory and Company, Inc.		Chemistry Department	
Northwest Industrial Park		Rensselaer Polytechnic Institute	
Burlington, Massachusetts 01803	1	Troy, New York 12181	1
Dr. A. B. Ellis		Dr. B. Stanley Pons	
Chemistry Department		Department of Chemistry	
University of Wisconsin		University of Alberta	
Madison, Wisconsin 53706	1	Edmonton, Alberta	
		CANADA T6G 2G2	1
Dr. M. Wrighton		Dr. Michael J. Weaver	
Chemistry Department		Department of Chemistry	
Massachusetts Institute		Michigan State University	
of Technology		East Lansing, Michigan 48824	1
Cambridge, Massachusetts 02139	1		
Larry E. Plew		Dr. R. David Rauh	
Naval Weapons Support Center		EIC Corporation	
Code 30736, Building 2906		55 Chapel Street	
Crane, Indiana 47522	1	Newton, Massachusetts 02158	1
S. Ruby		Dr. J. David Margerum	
DOE (STOR)		Research Laboratories Division	
600 E Street		Hughes Aircraft Company	
Washington, D.C. 20545	1	3011 Malibu Canyon Road	
		Malibu, California 90265	1
Dr. Aaron Wold		Dr. Martin Fleischmann	
Brown University		Department of Chemistry	
Department of Chemistry		University of Southampton	
Providence, Rhode Island 02192	1	Southampton 509 5NH England	1
Dr. R. C. Chudacek		Dr. Janet Osteryoung	
McGraw-Edison Company		Department of Chemistry	
Edison Battery Division		State University of New	
Post Office Box 28		York at Buffalo	
Bloomfield, New Jersey 07003	1	Buffalo, New York 14214	1
Dr. A. J. Bard		Dr. R. A. Osteryoung	
University of Texas		Department of Chemistry	
Department of Chemistry		State University of New	
Austin, Texas 78712	1	York at Buffalo	
		Buffalo, New York 14214	1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California 92806	1	Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840	1
Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910	1	Dr. John Kincaid Department of the Navy Strategic Systems Project Office Room 901 Washington, D.C. 20376	1
Dr. R. Nowak Naval Research Laboratory Code 6130 Washington, D.C. 20375	1	M. L. Robertson Manager, Electrochemical Power Sonics Division Naval Weapons Support Center Crane, Indiana 47522	1
Dr. John F. Houlihan Shenango Valley Campus Pennsylvania State University Sharon, Pennsylvania 16146	1	Dr. Elton Cairns Energy & Environment Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720	1
Dr. M. G. Sceats Department of Chemistry University of Rochester Rochester, New York 14627	1	Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709	1
Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201	1	Dr. Denton Elliott Air Force Office of Scientific Research Bldg. 104 Bolling AFB Washington, D.C. 20332	1
Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201	1	Dr. Alan Bewick Department of Chemistry The University Southampton, SO9 5NH England	1
Dr. A. Himy NAVSEA-5433 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362	1		

DATE  
FILMED

3-8